

Mark Scheme (Results)

June 2012

GCSE Mathematics (2MB01) Foundation
5MB3F (Calculator) Paper 01

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please call our GCE line on 0844 576 0025, our GCSE team on 0844 576 0027, or visit our qualifications website at www.edexcel.com. For information about our BTEC qualifications, please call 0844 576 0026, or visit our website at www.btec.co.uk.

If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

Ask The Expert can be accessed online at the following link:

<http://www.edexcel.com/Aboutus/contact-us/>

Alternatively, you can speak directly to the subject team at Pearson about Edexcel qualifications. Their contact details can be found on this link:

www.edexcel.com/teachingservices

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for raising achievement through innovation in education. Find out more about how we can help you and your students at:

www.pearson.com/uk

June 2012

Publications Code UG032663

All the material in this publication is copyright

© Pearson Education Ltd 2012

NOTES ON MARKING PRINCIPLES

- 1 All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- 2 Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- 3 All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- 4 Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- 5 Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- 6 Mark schemes will indicate within the table where, and which strands of QWC, are being assessed. The strands are as follows:
 - i) *ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear*
Comprehension and meaning is clear by using correct notation and labeling conventions.
 - ii) *select and use a form and style of writing appropriate to purpose and to complex subject matter*
Reasoning, explanation or argument is correct and appropriately structured to convey mathematical reasoning.
 - iii) *organise information clearly and coherently, using specialist vocabulary when appropriate.*
The mathematical methods and processes used are coherently and clearly organised and the appropriate mathematical vocabulary used.

7 With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If it is clear from the working that the “correct” answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.

If there is no answer on the answer line then check the working for an obvious answer.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks. Discuss each of these situations with your Team Leader.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

8 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

9 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: e.g. incorrect canceling of a fraction that would otherwise be correct

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect e.g. algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

10 Probability

Probability answers must be given as fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

11 Linear equations

Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded.

12 Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

13 Range of answers

Unless otherwise stated, when an answer is given as a range (e.g 3.5 – 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and includes all numbers within the range (e.g 4, 4.1)

Guidance on the use of codes within this mark scheme

M1 – method mark

A1 – accuracy mark

B1 – Working mark

C1 – communication mark

QWC – quality of written communication

oe – or equivalent

cao – correct answer only

ft – follow through

sc – special case

dep – dependent (on a previous mark or conclusion)

indep – independent

isw – ignore subsequent working

5MB3F_01					
Question		Working	Answer	Mark	Notes
1	(a)		Octagon	1	B1 for octagon (allow incorrect spelling as long as the intention is clear)
	(b)		C and D	1	B1 both C and D (any order)
	(c)	$1080 \div 8$	135	2	M1 $1080 \div 8$ A1 cao
2	(a)		July and August	1	B1 (allow incorrect spellings or abbreviations as long as the intention is clear)
	(b)		April	1	B1 (allow incorrect spelling or abbreviation as long as the intention is clear)
	(c)		14	1	B1 cao
	(d)	24–13	11	2	M1 for attempt to read off and subtract (eg 24–13) A1 for 11 (accept – 11)
3			Sketch of a pentagon	1	B1 sketch of any 5-sided shape
4	(a)		–2	1	B1 cao
	(b)		–18	1	B1 cao
5	(a)		5	1	B1 cao
	(b)		7	1	B1 cao

5MB3F_01				
Question	Working	Answer	Mark	Notes
6	7.5×2	14.6 – 15.4	2	M1 for “7.5” \times 2 or 7.5 (\pm 2mm) seen A1 14.6 – 15.4
7	(a)	Reflected shape	1	B1 for correctly reflected shape
	(b)	Reflected shape	1	B1 for correctly reflected shape
8	$10 \times \text{£}2.50 = 25.00$ $11 \times 15\text{p} = 1.65$ $7 \times 20\text{p} = 1.40$ $25 + 1.65 + 1.4$	28.05 Yes	5	B1 calculations involve all three items and all five days M1 any one of “10” \times £2.50, “11” \times 15p, “7” \times 20p A1 any one of 25.00, 1.65, 1.40 A1 for 28.05 C1 (dep M1) for comparison and correct deduction using their figures eg 28.05 so yes OR B1 calculations involve all three items and all five days M1 any one of $1 \times \text{£}2.50 + 3 \times 15\text{p} + 2 \times 20\text{p}$ or $4 \times 15\text{p}$ or $2 \times \text{£}2.50 + 2 \times 15\text{p}$ or $4 \times \text{£}2.50 + 3 \times 20\text{p}$ or $3 \times \text{£}2.50 + 2 \times 15\text{p} + 2 \times 20\text{p}$ A1 any one of 3.35, 0.60, 5.30, 10.60, 8.20 A1 for 28.05 C1 (dep M1) for comparison and correct deduction using their figures eg 28.05 so yes

5MB3F_01					
Question	Working	Answer	Mark	Notes	
9	(a)	13+17+14+22	66	2	M1 for 13+17+14+22 or (13+17+14)×2 A1 for 66 or 88
	(b)	13+17=30 22+14=36 36-30	6	3	M1 for 13+17 (=30) or for 22+14 (=36) M1 (dep M1) for “36” – “30” A1 cao
	(c)	17 + 1 =	18	2	M1 for 17+1 or 1+16+1 or attempt to find by drawing / diagrams or answer of 17 or 19 A1 for 18 OR accept the other way around the diagram M1 for 49+1 or 1+48+1 or attempt to find by drawing / diagrams or answer of 49 or 51 A1 for 50
10	(a)		3	1	B1 cao
	(b)		Square on grid	1	B1 correct position
	(c)		Square drawn	2	B2 for square within tolerance (see overlay) (B1 for any line 4 cm ± 2mm or angle 90° ± 2°)
11	(a)		Graph drawn	2	B2 for a correct straight line from \$0 to \$60 (B1 for at least 4 points plotted accurately or line through at least 4 of the points from the table)
	(b)		37.50 33.33	2	B1 for value in the range 37 – 38 or ft from (a) (±1sq) B1 for value in the range 33 – 34 or ft from (a) (±1sq)

5MB3F_01					
Question	Working	Answer	Mark	Notes	
12	(a)	$24 \div 4 + 5$	11	2	M1 for $24 \div 4 + 5$ or $6 + 5$ A1 cao
	(b)	$13 = ? \div 4 + 5$ $? = (13 - 5) \times 4$	32	3	M2 for $(13 - 5) \times 4$ (M1 for $13 - 5 \times 4$ or $13 = ? \div 4 + 5$ or $13 - 5$ or $\times 4$ seen as second operation) A1 cao SC B1 for 47 as answer NB accept reverse flowcharts for inverse operations

5MB3F_01				
Question	Working	Answer	Mark	Notes
13	$\frac{2}{5}$ of 14 = 5.60 $\frac{7}{20}$ of 14 = 4.90 14 – 5.60 – 4.90 OR $\frac{2}{5} + \frac{7}{20} = \frac{8}{20} + \frac{7}{20} = \frac{15}{20}$ oe then $14 \times \frac{15}{20} = 10.50$; 14 – 10.50 or $1 - \frac{15}{20} = \frac{5}{20}$; $\frac{5}{20} \times 14$ OR 40% + 35% = 75% 100% - 75% = 25% $14 \times \frac{25}{100}$	3.50	4	M1 for $\frac{2}{5} \times 14$ or $14 \times 2 \div 5$ (=5.6) M1 for $\frac{7}{20} \times 14$ or $14 \times 7 \div 20$ (= 4.9) M1 (dep M1) for 14 – “5.6(0)” – “4.9(0)” A1 for 3.5(0) OR M1 for $\frac{2}{5} + \frac{7}{20}$ (= $\frac{15}{20}$ oe) M1 for $14 \times \frac{15}{20}$ (=10.5) M1 (dep M1) for 14 – “10.5” A1 for 3.5(0) OR M1 for $\frac{2}{5} + \frac{7}{20}$ (= $\frac{15}{20}$ oe) M1 for $1 - \frac{15}{20}$ (= $\frac{5}{20}$ oe) M1 (dep M1) for $14 \times \frac{5}{20}$ A1 for 3.5(0) OR M1 for 40% + 35% (= 75%) M1 for 100% - 75% (= 25%) M1 (dep M1) for $14 \times \frac{25}{100}$ oe A1 for 3.5(0) NB: accept decimal equivalents throughout


5MB3F_01					
Question	Working	Answer	Mark	Notes	
14	(a)	Draws triangle to within tolerances	Scaled diagram drawn	3	B3 for complete and correct scaled diagram drawn (B1 for one scaled length drawn, $\pm 2\text{mm}$ B1 for 50° angle drawn, $\pm 2^\circ$) See overlay
	(b)	Measures missing side Add 3 sides to find the perimeter	18.6	2	M1 attempt to find the perimeter: $6 + 7 + "5.6"$ or missing length found: 5.6 ± 0.4 A1 for answer in the range 18.2 – 19.0
15		$18 \times 6.5 \times 5 = 585$ $585 \div 4$	146 or 147	4	M3 for $18 \times 6.5 \times 5 \div 4$ or sight of 146.25 (M2 for $18 \times 6.5 \times 5$ or $18 \times 5 \div 4$ or $6.5 \times 5 \div 4$ or $18 \times 6.5 \div 4$ or sight of 585 or 22.5 or 8.125 or 29.25) (M1 18×6.5 or 6.5×5 or 18×5 or $\div 4$ or sight of 117 or 32.5 or 90) A1 for 146 or 147
16		$15 \div 3 \times 4$	20 cm	3	M1 for 4×5 , 3×5 or $\frac{15}{3}$, $\frac{3}{15}$, $\frac{3}{4}$, $\frac{4}{3}$, or equivalent values, 4:20 oe, or identification of 5 as the scale factor of enlargement. A1 cao C1 (indep) for units: cm stated on answer line or with "20" in the working space if not given on answer line.

5MB3F_01				
Question	Working	Answer	Mark	Notes
17	$\frac{3}{100} \times 500 \times 4$ <p>OR</p> $\frac{500 \times 3 \times T}{100} = 60$ $T = \frac{60 \times 100}{500 \times 3}$	4	3	<p>M2 correct method to calculate simple interest over 4 years eg, $\frac{3}{100} \times 500 \times 4$ or “15” $\times 4$ (M1 correct method to calculate interest over one year, eg $\frac{3}{100} \times 500$ oe or 15 seen or 515 seen) A1 cao</p> <p>OR</p> <p>M1 for subs into $\frac{PRT}{100} = I$, eg $\frac{500 \times 3 \times ?}{100} = 60$ oe</p> <p>M1 for $15T = 60$ or attempt to rearrange, eg, $1500T = 6000$ A1 cao</p> <p>SC B1 for 4 from compound interest methods</p>
18	<p>(a) $x + 2x + x + 5$</p> <p>(b) $4x + 5 = 33$ $4x = 33 - 5$ $4x = 28$</p>	<p>$4x + 5 = 33$</p> <p>7</p>	<p>3</p> <p>2</p>	<p>M1 for sight of $2x$ oe or $x+5$ oe M1 for sight of $2x$ oe and $x+5$ oe A1 for $x + 2x + x + 5 = 33$ leading to $4x + 5 = 33$</p> <p>M1 for an intent to subtract 5 from both sides or to divide each term by 4 or $33 - 5$ or 28 seen or $\frac{28}{4}$ A1 for 7</p>

5MB3F_01				
Question	Working	Answer	Mark	Notes
19	$\frac{10}{3} \div \frac{19}{4} = \frac{10}{3} \times \frac{4}{19}$ OR $3.33... \div 4.75$	$\frac{40}{57}$ or 0.70175(4386...)	2	M1 for $\frac{10}{3}$ oe and $\frac{19}{4}$ oe or 3.33(...) and 4.75 or $40 \div 57$ or 0.7, 0.70, 0.701, 0.702, 0.7017, 0.7018 A1 for $\frac{40}{57}$ oe or 0.70175(4386...)
20	(a) 650×1.2 OR $650 \times 0.2 (=130)$ $650 + 130 = 780$	780	3	M2 for 650×1.2 oe (M1 for 650×0.2 oe (=130)) A1 cao
	(b) $\frac{39}{260} \times 100$	15	2	M1 for $\frac{39}{260} \times 100$ oe A1 cao
	(c) $44.79 \div 3 \times 8$	119.44	2	M1 for $44.79 \div 3 (=14.93)$ or $44.79 \times 8 (=358.32)$ A1 cao

5MB3F_01				
Question	Working	Answer	Mark	Notes
21	$1.89 \div 2 (=0.945)$ $4.30 \div 5 (=0.86)$ $8.46 \div 9 (=0.94)$ OR $2 \div 1.89 (=1.058..)$ $5 \div 4.30 (=1.162..)$ $9 \div 8.46 (=1.063...)$	5kg box	4	M2 for all of $1.89 \div 2 (=0.945)$, $4.30 \div 5 (=0.86)$ and $8.46 \div 9 (=0.94)$ (M1 for a method to compare at least two values) A1 for $0.945/0.94/0.95$ and 0.86 and 0.94 or $94/95/94.5$ and 86 and 94 C1 (dep M1) for a comparison of their 3 values leading to a correct deduction. OR M2 for all of $2 \div 1.89 (=1.058..)$, $5 \div 4.30 (=1.162..)$, $9 \div 8.46 (=1.063...)$, allow values rounded or truncated to 3 dp (M1 a method to compare at least two values) A1 for $1.058...$ and $1.162...$ and $1.063..$ oe C1 (dep M1) for a comparison of their 3 values leading to a correct deduction

Q11(a)



Further copies of this publication are available from
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467

Fax 01623 450481

Email publication.orders@edexcel.com

Order Code UG032663 June 2012

For more information on Edexcel qualifications, please visit
www.edexcel.com/quals

Pearson Education Limited. Registered company number 872828
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE

Ofqual




Llywodraeth Cynulliad Cymru
Welsh Assembly Government

